



Execução Cega






Execução Passante

Caixa	d	Rolam.	Bucha	Dimensões (mm)											Anel Dim.	FRB Qtd	Peso (kg)
				H	E	A	B	C	L	N	N1	P	S	V			
SNA 505	20	1205K	H 205	40	130	165	46	18	67	20	15	74	12	19	5/52	2	1,5
		2205K	H 305												3,5/52	2	
		22205K	H 305												3,5/52	2	
SNA 506	25	1206K	H 206	50	150	185	52	19	77	20	15	89	12	22	8/62	2	2
		2206K	H 306												6/62	2	
		22206K	H 306												6/62	2	
SNA 507	30	1207K	H 207	50	150	185	52	21	82	20	15	93	12	22	8,5/72	2	2,2
		2207K	H 307												5,5/72	2	
		22207K	H 307												5,5/72	2	
SNA 508	35	1208K	H 208	60	170	205	60	22	85	20	15	107	12	25	10,5/80	2	2,9
		2208K	H 308												8/80	2	
		22208K	H 308												8/80	2	
SNA 509	40	1209K	H 209	60	170	205	60	23	85	20	15	109	12	25	5,5/85	2	2,9
		2209K	H 309												3,5/85	2	
		22209K	H 309												3,5/85	2	
SNA 510	45	1210K	H 210	60	170	205	60	24	90	20	15	113	12	25	10,5/90	2	3,2
		2210K	H 310												9/90	2	
		22210K	H 310												9/90	2	
SNA 511	50	1211K	H 211	70	210	255	70	26	95	24	18	127	16	28	11,5/100	2	4,4
		2211K	H 311												9,5/100	2	
		22211K	H 311												9,5/100	2	
SNA 512	55	1212K	H 212	70	210	255	70	28	105	24	18	133	16	30	13/110	2	5,1
		2212K	H 312												10/110	2	
		22212K	H 312												10/110	2	
SNA 513	60	1213K	H 213	80	230	275	80	31	110	24	18	148	16	30	14/120	2	6,5
		2213K	H 313												10/120	2	
		22213K	H 313												10/120	2	
SNA 515	65	1215K	H 215	80	230	280	80	32	115	24	18	154	16	30	15,5/130	2	7
		2215K	H 315												12,5/130	2	
		22215K	H 315												12,5/130	2	
SNA 516	70	1216K	H 216	95	260	315	90	35	120	28	22	175	20	32	16/140	2	9,5
		2216K	H 316												12,5/140	2	
		22216K	H 316												12,5/140	2	
SNA 517	75	1217K	H 217	95	260	320	90	37	125	28	22	183	20	32	16,5/150	2	10
		2217K	H 317												12,5/150	2	
		22217K	H 317												12,5/150	2	
SNA 518	80	1218K	H 218	100	290	345	100	46	140	28	22	193	20	35	17,5/160	2	12,5
		2218K	H 318												12,5/160	2	
		22218K	H 318												12,5/160	2	
SNA 519	85	1219K	H 219	112	290	345	100	42	145	28	22	210	20	35	6,25/160	2	13,7
		2219K	H 319												18/170	2	
		22219K	H 319												12,5/170	2	
SNA 520	90	1220K	H 220	112	320	380	110	50	160	32	26	215	24	40	18/180	2	17,6
		2220K	H 320												12/180	2	
		22220K	H 320												12/180	2	
SNA 522	100	1222K	H 222	125	350	410	120	58	175	32	26	239	24	45	4,85/180	2	22
		2222K	H 322												21/200	2	
		22222K	H 322												13,5/200	2	
SNA 524	110	1224K	H 224	140	350	410	120	62	185	32	26	271	24	45	5,1/200	2	26
		2224K	H 324												22/215	2	
		23224K	H 324												14/215	2	
SNA 526	115	22226K	H 3126	150	380	445	130	65	190	35	28	290	24	50	5/215	2	33
		23226K	H 2326												13/230	2	
		22228K	H 3128												5/230	2	
SNA 528	125	23228K	H 2328	150	420	500	150	70	205	42	35	302	30	50	15/250	2	40
SNA 530	135	22230K	H 3130	160	450	530	160	76	220	42	35	323	30	60	5/250	2	49
		23230K	H 2330												16,5/270	2	
		22232K	H 3132												5/270	2	
SNA 532	140	23232K	H 2332	170	470	550	160	82	235	42	35	344	30	60	17/290	2	55
		23232K	H 3132												5/290	2	


SÉRIE SNA



**MANCAIS
E VEDAÇÕES**






Execução Cega




Execução Passante

Caixa	d	Rolam.	Bucha	Dimensões (mm)											Anel Dim.	FRB Qtd	Peso (kg)
				H	E	A	B	C	L	N	N1	P	S	V			
SNA 605	20	1305K	H 305	50	150	185	52	22	77	20	15	89	12	22	7,5/62	2	2
		2305K	H 2305												4/62	2	
SNA 606	25	1306K	H 306	50	150	185	52	22	82	20	15	93	12	22	7,5/72	2	2,2
		2306K	H 2306												3,5/72	2	
SNA 607	30	1307K	H 307	60	170	205	60	25	85	20	15	107	12	25	9/80	2	2,9
		2307K	H 2307												4/80	2	
SNA 608	35	1308K	H 308												9/90	2	
		2308K	H 2308												4/90	2	
		21308K	H 308	60	170	205	60	27	90	20	15	113	12	25	9/90	2	3,2
		22308K	H 2308												4/90	2	
		1309K	H 309												9,5/100	2	
SNA 609	40	2309K	H 2309												4/100	2	
		21309K	H 309	70	210	255	70	30	95	24	18	127	16	28	9,5/100	2	4,4
		22309K	H 2309												4/100	2	
SNA 610	45	1310K	H 310												10,5/110	2	
		2310K	H 2310												4/110	2	
		21310K	H 310	70	210	255	70	33	105	24	18	133	16	30	10,5/110	2	5,1
		22310K	H 2310												4/110	2	
SNA 611	50	1311K	H 311												11/120	2	
		2311K	H 2311												4/120	2	
		21311K	H 311	80	230	275	80	35	110	24	18	148	16	30	11/120	2	6,5
		22311K	H 2311												4/120	2	
SNA 612	55	1312K	H 312												12,5/130	2	
		2312K	H 2312												5/130	2	
		21312K	H 312	80	230	280	80	37	115	24	18	154	16	30	12,5/130	2	7
		22312K	H 2312												5/130	2	
SNA 613	60	1313K	H 313												12,5/140	2	
		2313K	H 2313												5/140	2	
		21313K	H 313	95	260	315	90	39	120	28	22	175	20	32	12,5/140	2	9,5
		22313K	H 2313												5/140	2	
SNA 615	65	1315K	H 315												14/160	2	
		2315K	H 2315												5/160	2	
		21315K	H 315	100	290	345	100	43	140	28	22	193	20	35	14/160	2	12,5
		22315K	H 2315												5/160	2	
SNA 616	70	1316K	H 316												14,5/170	2	
		2316K	H 2316												5/170	2	
		21316K	H 316	112	290	345	100	47	145	28	22	210	20	35	14,5/170	2	13,7
		22316K	H 2316												5/170	2	
SNA 617	75	1317K	H 317												14,5/180	2	
		2317K	H 2317												5/180	2	
		21317K	H 317	112	320	380	110	49	160	32	26	215	24	40	14,5/180	2	17,6
		22317K	H 2317												5/180	2	
SNA 619	85	1319K	H 319												17,5/200	2	
		2319K	H 2319												6,5/200	2	
		21319K	H 319	125	350	410	120	54	175	32	26	239	24	45	17,5/200	2	22
		22319K	H 2319												6,5/200	2	
SNA 620	90	1320K	H 320												19,5/215	2	
		2320K	H 2320												6,5/215	2	
		21320K	H 320	140	350	410	120	58	185	32	26	271	24	45	19,5/215	2	26
		22320K	H 2320												6,5/215	2	



Execução Cega






Execução Passante

Caixa	d1	d	Rolam.	Arruela	Porca	Dimensões (mm)											Anel Dim.	FRB Qtd.	Peso (kg)
						H	E	A	B	C	L	N	N1	P	S	V			
SNA 205	25	30	1205C	MB 5	KM 5	40	130	165	46	18	67	20	15	74	12	19	5/52	2	1,40
			2205C														3,5/52	2	
			22205C														3,5/52	2	
SNA 206	30	35	1206C	MB 6	KM 6	50	150	185	52	19	77	20	15	89	12	22	8/62	2	1,90
			2206C														6/62	2	
			22206C														6/62	2	
SNA 207	35	45	1207C	MB 7	KM 7	50	150	185	52	21	82	20	15	93	12	22	8,5/72	2	2,10
			2207C														5,5/72	2	
			22207C														5,5/72	2	
SNA 208	40	50	1208C	MB 8	KM 8	60	170	205	60	22	85	20	15	107	12	25	10,5/80	2	2,75
			2208C														8/80	2	
			22208C														8/80	2	
SNA 209	45	55	1209C	MB 9	KM 9	60	170	205	60	23	85	20	15	109	12	25	5,5/85	2	3
			2209C														3,5/85	2	
			22209C														3,5/85	2	
SNA 210	50	60	1210C	MB 10	KM 10	60	170	205	60	24	90	20	15	113	12	25	10,5/90	2	3
			2210C														9/90	2	
			22210C														9/90	2	
SNA 211	55	65	1211C	MB 11	KM 11	70	210	255	70	26	95	24	18	127	16	28	11,5/100	2	4,20
			2211C														9,5/100	2	
			22211C														9,5/100	2	
SNA 212	60	70	1212C	MB 12	KM 12	70	210	255	70	28	105	24	18	133	16	30	13/110	2	4,75
			2212C														10/110	2	
			22212C														10/110	2	
SNA 213	65	75	1213C	MB 13	KM 13	80	230	275	80	31	110	24	18	148	16	30	14/120	2	6,10
			2213C														10/120	2	
			22213C														10/120	2	
SNA 215	75	85	1215C	MB 15	KM 15	80	230	280	80	32	115	24	18	154	16	30	15,5/130	2	6,60
			2215C														12,5/130	2	
			22215C														12,5/130	2	
SNA 216	80	90	1216C	MB 16	KM 16	95	260	315	90	35	120	28	22	175	20	32	16/140	2	9
			2216C														12,5/140	2	
			22216C														12,5/140	2	
SNA 217	85	95	1217C	MB 17	KM 17	95	260	320	90	37	125	28	22	183	20	32	16,5/150	2	9,50
			2217C														12,5/150	2	
			22217C														12,5/150	2	
SNA 218	90	100	1218C	MB 18	KM 18	100	290	345	100	46	140	28	22	193	20	35	17,5/160	2	11,80
			2218C														12,5/160	2	
			22218C														12,5/160	2	
SNA 219	95	110	1219C	MB 19	KM 19	112	290	345	100	42	145	28	22	210	20	35	18/170	2	13,70
			2219C														12,5/170	2	
			22219C														12,5/170	2	
SNA 220	100	115	1220C	MB 20	KM 20	112	320	380	110	50	160	32	26	215	24	40	18/180	2	17,60
			2220C														12/180	2	
			22220C														12/180	2	
SNA 222	110	125	1222C	MB 22	KM 22	125	350	410	120	58	175	32	26	239	24	45	21/200	2	22
			2222C														13,5/200	2	
			22222C														13,5/200	2	
SNA 224	120	135	1224C	MB 24	KM 24	140	350	410	120	62	185	32	26	271	24	45	5,1/200	2	26
			2224C														22/215	2	
			22224C														14/215	2	
SNA 226	130	145	2226C	MB 26	KM 26	150	380	445	130	65	190	35	28	290	24	50	5/215	2	33
SNA 228	140	155	2226C	MB 28	KM 28	150	420	500	150	70	205	42	35	302	30	50	13/230	2	40
			2228C														5/230	2	
			22228C														15/250	2	
SNA 230	150	165	2228C	MB 30	KM 30	160	450	530	160	76	220	42	35	323	30	60	5/250	2	49
			22230C														16,5/270	2	
			22230C														5/270	2	
SNA 232	160	175	22230C	MB 32	KM 32	170	470	550	160	82	235	42	35	344	30	60	17/290	2	55
			22232C														5/290	2	
			22232C														5/290	2	


SÉRIE SNA



MANCAIS
E VEDAÇÕES



Execução Cega



Execução Passante

Caixa	d1	d	Rolam.	Arruela	Porca	Dimensões (mm)											Anel Dim	FRB Qtd.	Peso (kg)
						H	E	A	B	C	L	N	N1	P	S	V			
SNA 305	25	30	1305 C 2305 C	MB 5	KM 5	50	150	185	52	22	77	20	15	89	12	22	7,5/62 4/62	2	1,90
SNA 306	30	35	1306 C 2306 C	MB 6	KM 6	50	150	185	52	22	82	20	15	93	12	22	7,5/72 3,5/72	2	2,20
SNA 307	35	45	1307 C 2307 C	MB 7	KM 7	60	170	205	60	25	85	20	15	107	12	25	9/80 4/80	2	2,90
SNA 308	40	50	1308 C 2308 C 21308 C 22308 C	MB 8	KM 8	60	170	205	60	27	90	20	15	113	12	25	9/90 4/90 9/90 4/90	2	3,20
SNA 309	45	55	1309 C 2309 C 21309 C 22309 C	MB 9	KM 9	70	210	255	70	30	95	24	18	127	16	28	9,5/100 4/100 9,5/100 4/100	2	4,40
SNA 310	50	60	1310 C 2310 C 21310 C 22310 C	MB 10	KM 10	70	210	255	70	33	105	24	18	133	16	30	10,5/110 4/110 10,5/110 4/110	2	5,10
SNA 311	55	65	1311 C 2311 C 21311 C 22311 C	MB 11	KM 11	80	230	275	80	35	110	24	18	148	16	30	11/120 4/120 11/120 4/120	2	6,50
SNA 312	60	70	1312 C 2312 C 21312 C 22312 C	MB 12	KM 12	80	230	280	80	37	115	24	18	154	16	30	12,5/130 5/130 12,5/130 5/130	2	7
SNA 313	65	75	1313 C 2313 C 21313 C 22313 C	MB 13	KM 13	95	260	315	90	39	120	28	22	175	20	32	12,5/140 5/140 12,5/140 5/140	2	9,50
SNA 314	70	80	1314 C 2314 C 21314 C 22314 C	MB 14	KM 14	95	260	320	90	41	125	28	22	183	20	32	13/150 5/150 13/150 5/150	2	10
SNA 315	75	85	1315 C 2315 C 21315 C 22315 C	MB 15	KM 15	100	290	345	100	43	140	28	22	193	20	35	14/160 5/160 14/160 5/160	2	12,50
SNA 316	80	90	1316 C 2316 C 21316 C 22316 C	MB 16	KM 16	112	290	345	100	47	145	28	22	210	20	35	14,5/170 5/170 14,5/170 5/170	2	13,70
SNA 317	85	95	1317 C 2317 C 21317 C 22317 C	MB 17	KM 17	112	320	380	110	49	160	32	26	215	24	40	14,5/180 5/180 14,5/180 5/180	2	17,60
SNA 319	95	110	1319 C 2319 C 21319 C 22319 C	MB 19	KM 19	125	350	410	120	54	175	32	26	239	24	45	17,5/200 6,5/200 17,5/200 6,5/200	2	22
SNA 320	100	115	1320 C 2320 C 21320 C 22320 C	MB 20	KM 20	140	350	410	120	58	185	32	26	271	24	45	19,5/215 6,5/215 19,5/215 6,5/215	2	26